700,771-57 AD 6: 50



BUREAU OF PUBLIC WATER SUPPLY

CALENDAR YEAR 2008 CONSUMER CONFIDENCE REPORT CERTIFICATION FORM

Public Water Supply Name

The Federal Safe Drinking Water Act requires each community public water system to develop and distribute a consumer

List PWS ID #s for all Water Systems Covered by this CCR

Sun Creek Water Association, Inc.

130003

| must | dence report (CCR) to its customers each year. Depending on the population served by the public water system, this CCR be mailed to the customers, published in a newspaper of local circulation, or provided to the customers upon request. |
|------------|---|
| Pleas | se Answer the Following Questions Regarding the Consumer Confidence Report |
| | Customers were informed of availability of CCR by: (Attach copy of publication, water bill or other) |
| | Advertisement in local paper On water bills Other <u>Available at the Water Office upon request</u> |
| | Date customers were informed: 05/28 /09 |
| | CCR was distributed by mail or other direct delivery. Specify other direct delivery methods: |
| | Date Mailed/Distributed:// |
| X | CCR was published in local newspaper. (Attach copy of published CCR or proof of publication) |
| | Name of Newspaper: Daily Times Leader |
| | Date Published: 05 / 28/09 |
| O | CCR was posted in public places. (Attach list of locations) |
| | Date Posted: / / |
| | CCR was posted on a publicly accessible internet site at the address: www |
| CER | <u>TIFICATION</u> |
| the fo | by certify that a consumer confidence report (CCR) has been distributed to the customers of this public water system in form and manner identified above. I further certify that the information included in this CCR is true and correct and is stent with the water quality monitoring data provided to the public water system officials by the Mississippi State rement of Health, Bureau of Public Water Supply. |
| Name | e/Title (President, Mayor, Owner, etc.) Date |
| . + 141/11 | Mail Completed Form to: Bureau of Public Water Supply/P.O. Box 1700/Jackson, MS 39215 Phone: 601-576-7518 |

| 14. Copper | N | 2008 | .7 | 0 | ppm | 1.3 | AL=1.3 | Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives |
|--------------|---------|---------|------|-------------|-----|-----|--------|---|
| 15. Cyanide | N | 2008 | 22.7 | No Range | ppb | 200 | 200 | Discharge from steel/metal factories; discharge from plastic and fertilizer factories |
| 16. Fluoride | N | 2008 | 1.26 | .218 – 1.26 | ppm | 4 | 4 | Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories |
| 17. Lead | N | 2008 | 3 | 0 | ppb | 0 | AL=15 | Corrosion of household plumbing systems, erosion of natural deposits |
| 21. Selenium | N | 2008 | 2.6 | 2.2 – 2.6 | ppb | 50 | 50 | Discharge from petroleum and metal refineries; erosion of natural deposits; discharge from mines |
| Disinfecti | ion By- | -Produc | ts | | | | | |
| 81. HAA5 | N | 2007* | 1.2 | No Range | ppb | 0 | 60 | By-Product of drinking water disinfection. |
| Chtorine | N | 2008 | 1.3 | .4 – 1.3 | ppm | 0 | MDRL = | Water additive used to control microbes |

^{*} Most recent sample. No sample required for 2008.

As you can see by the table, our system had no contaminate violations. We're proud that your drinking water meets or exceeds all Federal and State requirements. We have learned through our monitoring and testing that some constituents have been detected however the EPA has determined that your water IS SAFE at these levels.

We are required to monitor your drinking water for specific constituents on a monthly basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. Beginning January 1, 2004, the Mississippi State Department of Health (MSDH) required public water systems that use chlorine as a primary disinfectant to monitor/test for chlorine residuals as required by the Stage 1 Disinfection By-Products Rule. We did complete the monitoring requirements for bacteriological sampling that showed no coliform present. In an effort to ensure systems complete all monitoring requirements, MSDH now notifies systems of any missing samples prior to the end of the compliance period.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our Water Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. The Mississippi State Department of Health Public Health Laboratory offers lead testing for \$10 per sample. Please contact 601.576.7582 if you wish to have your water tested.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline 1-800-426-4791.

***** A MESSAGE FROM MSDH CONCERNING RADIOLOGICAL SAMPLING*****

In accordance with the Radionuclides Rule, all community public water supplies were required to sample quarterly for radionuclides beginning January 2007 - December 2007. Your public water supply completed sampling by the scheduled deadline; however, during an addit of the Mississippi State Department of Health Radiological Health Laboratory, the Environmental Protection Agency (EPA) suspended analyses and reporting of radiological compliance samples and results until further notice.

Although this was not the result of inaction by the public water supply, MSDH was required to issue a violation. The Bureau of Public Water Supply is taking action to resolve this issue as quickly as possible. If you have any questions, please contact Melissa Parker, Deputy Director, Bureau of Public Water Supply, at 601.576.7518.

The Sun Creek Water Association, Inc. works around the clock to provide top quality water to every tap. The Directors and Staff are always ready and happy to help customers with any problem or complaint. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

2008 Annual Drinking Water Quality Report Sun Creek Water Association, Inc. PWS#: 0130003 May 2009

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is from three wells drawing from the Gordo Formation and Eutaw Formation Aquifers.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identified potential sources of contamination. The general susceptibility rankings assigned to each well of this system are provided immediately below. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The wells for the Sun Creek Water Association have received moderate susceptibility rankings to contamination.

If you have any questions about this report or concerning your water utility, please contact Sarah M. Alford at 662.494.7012. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the first Monday of each month at 7:00 PM at the Sun Creek Water Office Building.

We routinely monitor for constituents in your drinking water according to Federal and State laws. This table below lists all of the drinking water contaminants that we detected during for the period of January 1st to December 31st, 2008. In cases where monitoring wasn't required in 2008, the table reflects the most recent results. As water travels over the surface of land or underground, it dissolves naturally occurring minerals and, in some cases, radioactive materials and can pick up substances or contaminants from the presence of animals or from human activity; microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm-water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations and septic systems; radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that rap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily indicate that the water poses a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Treatment Technique (TT) - A treatment technique is a required process intended to reduce the level of a contaminant in drinking water.

Maximum Contaminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

| | | | | TEST R | ESULT | ΓS | | |
|-------------|------------------|-------------------|-------------------|---|--------------------------|----------|-----|--|
| Contaminant | Violation Y/N | Date Collected | Level Detected | Range of Detects or # of Samples Exceeding MCL/ACL | Unit Measure -ment | MCLG | MCL | Likely Source of Contamination |
| Inorganio | Contar | - 4 | | | | | | |
| IMOI Suille | Contai | ninants | | | | | | |
| 8. Arsenic | N | 2008 | .8 | No Range | ppb | n/a | 50 | Erosion of natural deposits; runoff from orchards; runoff from glass and electronics production wastes |
| | | r | | No Range .053112 | ppb | n/a 2 | 50 | orchards; runoff from glass and |

CLAY COUNTY The State of Mississippi

AFFIDAVIT OF PUBLICATION

affixed has been made for_ publication of a certain notice, a true copy of which, is hereto and state, who being duly sworn deposeth and says that the newspaper published in the City of West Point, of said county the undersigned representative of the Daily Times Leader, a Before me, in and for said county, this day personally came _ weeks consecutively, to wit:

Ž.,

* £ 6

Dated Dated Dated Dated Dated 5-28 -, 20 09 , 20_ 20 20

the publication thereof has been correctly made. been produced and compared with the copy affixed; and that of the newspaper containing the above mentioned notice have Said representative further certifies that the several numbers

> 14 71 1

....

WITNESS MY HAND AND SEAL OF OFFICE, this the day of June _, A.D., 20<u>09</u>

By: Jeannotta G. Edwards

Notary Public

NOTARY PUBLIC STATE OF MISSISSIPPI AT LARGE MY COMMISSION EXPIRES: Mat 18, 2011 MY COMMISSION EXPIRES: Mat 18, 2011 BONDED THRU NOTARY PUBLIC LYDERWRITERS

DAILY TIMES LEADER

By: Mathe) Publisher (X Clerk
() Printer

SEAL:

Total Charges Proof(s) Of Publication \$ Publication Fee

↔ 246.60

AFFIDAVIT# 17363

2008 Annual Drinking Water Quality Report Sun Creek Water Association, Inc. PWIS# 0130003 PWIS# 02000

We're pleased to present to you this year's Annuel Quelty Water Report. This report is designed to inform you about the quelty water and sinvings we deliver to you every day. Our constain goal is to provide you with a safe and dependable supply of drinking water. Wa want 'ou to understand the afforts we make to continually improve the water featment process and protect our water resources. We see committed to ensuring the quality of your water. Our water source is from these wells drawing from the dordo Formation and Eulaw Formation Aquifors.

The source water assessment has been completed for our public water system to determine the owerall auscoptibility of its drinking water supply to identified potential sources of contamination. The general susceptibility rankings assigned to each wait of his system are provided immediately below. A report containing adealled information on how the susceptibility determinations wave made has been furnished to our public water system and its available for viewing upon request. The wells for the Sun Creek Water Association have received moderate susceptibility rankings to contamination.

If you have any questions about this report or concerning your water utility, please contact Serah M. Afroid et 862.494,7012, we warm our villued customers to be informed about their water utility. If you want to learn more please attend any of our regularly scheduled meetings. They are had on the first Monday of each month at 7.00 P.M. at the Sun Creak Water Office Building.

We numely monitor for constituents in your drinking weter according to Federal and State laws. This table below itsts at of this active general monitoring water consiminants the we detected during for the period of langua; if to December 31*, 2000. It cases were monitoring wears required in 2008, the table reflects the most stocker required and an appropriate of an itals or from human activity, inicrobial contaminants, such as witches and can pick up substances or contaminants from the presence of an itals or from human activity, inicrobial contaminants, such as followers and bacteria; that may come from sewage treatment plants such as spiritually like-stock operations, and widthe intogenic contaminants, such as active and metals, which can be returned or arming pessiones and herbicides, which may come from a writerly of sources such as agricultural time the support of the results of the results of order to syndrate. Including symmetric and visually occurred to the production, and can also come from gas stations and visually occurred to ensure that may be resulted or and gas producted in during the natural visual and periode of the production, and can also come from gas stations and visually occurred to ensure that the temporal contaminants in which opening contaminants, including symmetric and visually organic chemicals, which are byproducts of housing productions and mining adultations in order to ensure that are water to satisfy and the production of the presence of these containments in water provided by public water systems. All driving water including bother that the presence of these constituents to shall be water poses a health rew.

in this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these provided the following definitions: 197718 W8'VB

Actor: Level - the concentration of a conteminant which, if exceeded, inggers treatment or other requirements which a water system must olice.

states contemprant Level (MCL). The "Maximum Allowad" (MCL) is the highest level of a contaminant that is allowed in drinking life MCLs are set as close to the MCLOs as leasible using the best available treatment technology. (TT) - A treatment technique is a required process intended to reduce the level of a contaminant in danking

Maxicum Contaminant Level Goal (MCLG) - The "Cool"(MCLG) is the level of a contaminant in drinking water below which there is no known or expected fisk to health. MCLGs allow for a margin of safety.

| Discharge from petroleum and meral refineries, aroson of natural deposits discharge from mines. | 90 | 88 | ppb | 22-26 | 2.6 | 2008 | 2 | 21 Selani im |
|---|--------|------|-----------------|---|-------------------|-------------------|--------|------------------------|
| Carrosion of household plumbing systems, erosion of natural deposits | ALW15 | o | gg | Þ | | 2008 | - | 17 Lead |
| Étosion of natural deposits, water additive which promotes strong teeth discharge from fortilizar and aluminut factories. | | | nga. | 218 - 1.26 | 1.26 | 2008 | - | 16 Fluprice |
| Discharge from steakmatal factories discharge from pursic and facilizes factories | 200 | 200 | ppb | No Range | 22.7 | 8002 | z | 16 Cyanile |
| Corresion of household plumbing servitems, erasion of netural deposits leading from wood preservatives | AL=1.3 | 1.3 | apm | a | 7 | 2008 | 2 | Tie Copper |
| Discharge from after and pulp mills aroaion of natural deposits | 100 | 100 | ppb | No Ranga | , j | 2008 | 2 | 10. Chromium |
| Discherge of drilling was as discharge from metal refinelles erusion of natur deposits | | D. | bpm | 053 - 112 | 112 | 2008 | z | 10 Banum |
| Elbston of natural deposits, runoff for orchards; runoff from glass and electronics production wastes | į, | en. | ppo | No Range | GI . | 2008 | 2 | 8. Alsenic |
| | | | | | | ninants | Contar | Intrganic Contaminants |
| Likely Source of Contamination | Ď | MCTG | Measura meni | Ranga of Detacts or # of Samples Exceeding MCL/ACL | Leval Datected | Date Collected | N.A. | Contiminant |
| | | Ó | ESULI | TEST RESULTS | | | | |
| | | | | | | | | |

| | | 81. HAA |
|------|------------------------|--|
| ** | 2.2 | |
| - | 100 | |
| 21 | 7.5 | |
| | 5 | |
| 2.1 | 17.00 | 3>1 |
| ≈ : | 5.5 | X.7X. |
| | 36.733 | April 1 |
| 2.1 | | 10.5 |
| | 10000 | 1962 |
| 201 | | (|
| | 3.77 | 0.00 |
| ÷. | 0.000 | **** |
| ~ | 130 | . 28 |
| -24 | 100 | - TO |
| | 0.00 | |
| | | 1.14 |
| 33 | 84.00 | |
| | 100 | 1 1 |
| S. | 344 | |
| 20 | 3223 | |
| 2 | | |
| | | 1 ×1 |
| 20 | CO CO | 1 31 |
| | *** | 1 2.5 € 1 |
| × . | 198334 | 100 L |
| 10 | 100 | |
| 4 | 300 | |
| | 7.57 | • |
| 20 | 1800 | 1 × 1 |
| 2 | | I wil |
| 20 | SAS 9. | |
| × | 1000 | A SANGE |
| × | 1000 | 1 |
| 5 | | |
| | | ************************************** |
| 14 | | |
| 580 | | |
| | | 3 3 € 1 |
| :0 | 1000 | 1 · · · · · · · · · · · · · · · · · · · |
| 1 | 10000 | 201 |
| | 1100 | CS . |
| | 100 | 2 1 |
| 350 | | 3 · 📆 |
| | 18 | - |
| | | 1 1 |
| 15. | 133 | |
| | | |
| 0 | 4.5 | 4 % I |
| 1 | | 16. 1 |
| 123 | | - |
| 100 | l o | 0 |
| | 1 6 | 12.61 |
| | 183 | 1 01 |
| 4.8 | 3 6777 | \$ 42° E |
| 3 | | 3 33 |
| 37. | 1000 | 362 I |
| 0.0 | A 13.5 | 30 % A 1 |
| 140 | Services. | ST 1000 |
| | 4.5 | 38 700 5 1 |
| | 182.5 | 31 1 |
| | | 3.3 |
| | | 313 1 |
| 30 | 1 | |
| 1 | 1300 | |
| 200 | 100 | 3 3 3 3 |
| | 200 | 88 1 |
| 7 | 4 H | 3 T |
| 16.2 | 3. C. C. | 91 C |
| 10 | | 4 |
| 3,4 | 3 500 | ္ တ |
| | 35 30 42 4 | |
| | | |
| 2.5 | | *************************************** |
| | | a.,, |
| | نا | g g |
| | | d Py |
| | 12.5 | By-Pr |
| | 77 (5) | By-Pro disinfer |
| | micro | By-Produ |
| | microbe. | By-Produc disinfection |
| | microbes | By-Product disinfection |
| | microbes | By-Product of disinfection |
| | migrobes | By-Product of a |
| | migrobes | By-Product of or disinfection |
| | microbes would | By-Product of driving disinfection |
| | microbes | By-Product of drink disinfection |
| | microbes | By-Product of drinkin disinfection |
| | microbes | By-Product of drinking disinfection |
| | microbes | By-Product of artiking wildisinfection |
| | microbes | By-Product of drinking we disinfection |
| | microbes | By-Product of drinking well disinfection |
| | microbes with a second | By-Product of drinking weler disintection |
| | microbes | By Product of drinking water disinfection |
| | microbes | By-Product of drinking water disinfaction |
| | microbes | By-Product of drinking water disinfection |
| | Microbes | By-Product of drinking water disinfection |
| | microbes | By-Product of drinking water disinfection |
| | microbes | By-Product of drinking water disinfection |
| | microbes | By-Product of drinking water disinfection |
| | microbes | By-Product of drinking water disinfection |
| | microbes | By-Product of drinking water disinfaction |
| | microbes | By-Product of drinking water disinfection |
| | microbes | By Product of drinking water disinfection |
| | mitrobes | By-Product of crinking water disinfaction |
| | microbes | By-Product of drinking water disinfection |

As you can see by the table, our system had no contaminate violations. We're proud that your drinking water meets on exceeds all frequenciation and testing that some constituents have been described however it e EPA has determined that your water is SAFE at these levels.

We are required to monitor your drinking water for specific constituents on a monthly basis. Results of regular monitoring are an indicator of whether or not our drinking water means teacher standards. Beginning favoury 1 book, the Mississippi State Department of health (MADH) required public water systems that use chloring as a primary disinfection to monitoring state to provide a service of the products Rule. We did complete the monitoring requirements for bacteriological sampling that snowed in collidors present in an effort to ensure systems complete the monitoring requirements. MSDH now notifies systems of any massing as notes prior to the end of the completance period.

If present selevated levels of lead can cause serious health problems, especially for preghent women and young children. Used in consisting water is primarily from materials and components associated with service lines and home plumbing. Our Water Association is reasonabled to be providing high quality drinking water our campionant to the protein of materials used in plumbing comproments. When reasonable seems stiting to several hours, you can minimize the potential for lead exposure by flushing your lapting 30 seconds to 2 your water to charting or cooking. If you are concerned about lead in your water you may see to charting water testing memode, and shoot you drait the to minimize any service water to charting water testing memode, and shoot you drait the to minimize any course is an administration of the same that the control of the same power and shoot on the to minimize any consume is enabled from the Safe Chinking water testing for \$10 per sample. Please contact 601.578.758.7 (352.1) you was no have your water water restart.

All source: of drinking water are subject to potential comamination by substances that are naturally occurring or man made. These substances can be indicated, and indicated and indicated substances. All drinking water including boiled water, substances and expected to contain a least small amounts of some containments. The presence of containments does not indicate that the water poses a treatm risk More information about containments. The presence of containments are indicated that the water poses a treatm risk More information about containments and potential health effects can be optained by calling the Environmental Protection Agency's Sate Drinking Water Hotiline at 1-oQC-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population, immuno-compromised parsons auch its prizons with cancer undergoing chambinarpy, persons who have undergoine organitiants; people with MIVADS or other immune system disorders some elderly, and infrants can be particularly at this from infections. These people enough sets advice about drinking water from their health care provident. EPACDC guidelines on appropriate means to tessen the risk of infection by cypricapid tilum and other microbiological contaminants are available from the Safe Drinking Water Hotline 1-800-428-4791 cypricapid tilum and other microbiological contaminants are available from the Safe Drinking Water Hotline 1-800-428-4791.

MESSAGE FROM MISSH CONCERNING RADIOLOGICAL SAMPLING

In accordance with the Redionuclides Rule, all community public water supplies were required to sample quarterly for radionuclides beginning source year 2007. "Occamber 2007." Your public water supply completed sampling by the scheduled deadline, however, during an audit of the Mississippi State Department of Health Radiological Health Laboratory, the Environmental Protection Agency (EPA) suspended snalyses and reporting of radiological compliance samples and results until further notice.

Although it is was not the result of inaction by the public water supply, MSDH was required to issue a violation. The Bureau of Public Water Supply is taking action to resolve this issue as quickly as possible. If you have any disastions, please contact Maleises Payuer, Deputy Diriction, Bureau of Public Water Supply, at 401 576.7518.

The Sun Gleek Waler Association, Inc. works around the clock to provide top quality water to every tap. The Directors and Staff are aways really and happy to help customers with any problem or complaint. We sak that all our customers help us project our water sources, which are the heart of our community our way of the and our colliders's future.